



Online article and related content
current as of November 10, 2009.

Evaluation of Conflict of Interest in Economic Analyses of New Drugs Used in Oncology

Mark Friedberg; Bernard Saffran; Tammy J. Stinson; et al.

JAMA. 1999;282(15):1453-1457 (doi:10.1001/jama.282.15.1453)

<http://jama.ama-assn.org/cgi/content/full/282/15/1453>

Correction	Contact me if this article is corrected.
Citations	This article has been cited 176 times. Contact me when this article is cited.
Topic collections	Medical Practice; Conflict of Interest; Drug Therapy; Drug Therapy, Other Contact me when new articles are published in these topic areas.
Related Articles published in the same issue	Conflict of Interest and Cost-effectiveness Analysis Sheldon Krimsky. <i>JAMA</i>. 1999;282(15):1474. October 20, 1999 JAMA. 1999;282(15):1489.
Related Letters	Sources of Bias in the Economic Analysis of New Drugs Jean Paul Gagnon et al. <i>JAMA</i>. 2000;283(11):1423.

Subscribe
<http://jama.com/subscribe>

Permissions
permissions@ama-assn.org
<http://pubs.ama-assn.org/misc/permissions.dtl>

Email Alerts
<http://jamaarchives.com/alerts>

Reprints/E-prints
reprints@ama-assn.org

Evaluation of Conflict of Interest in Economic Analyses of New Drugs Used in Oncology

Mark Friedberg, BA

Bernard Saffran, PhD

Tammy J. Stinson, MS

Wendy Nelson, PhD

Charles L. Bennett, MD, PhD

FINANCIAL CONFLICT OF INTEREST is a pressing issue for the medical research community.^{1,2} Physicians' economic ties to tobacco, alcohol, baby formula, and pharmaceutical companies have all been criticized as possible nonscientific influences on medical research.³⁻⁶ Recent studies of research on calcium channel antagonists in cardiology, nonsteroidal anti-inflammatory drugs for the treatment of arthritis, and the health effects of secondhand smoke all found that physicians with financial ties to manufacturers were significantly less likely to criticize the safety or efficacy of these agents.⁷⁻⁹ Similarly, a study of clinical trial publications determined that there was a significant association between positive results in general internal medicine clinical trials and funding from a pharmaceutical manufacturer.¹⁰

While the debate over financial conflict of interest has surrounded issues of clinical efficacy and safety, only 1 prior study has addressed concerns related to reports on cost-effectiveness.¹¹ In that study, Azimi and Welch¹¹ reported that industry-financed cost-effectiveness analyses were more likely to support additional expenditures with investigational drugs than standard treatments. To further examine the existing pharmacoeconomic literature, we evaluated cost studies for 3 recent breakthrough

For editorial comment see p 1474.

Context Recent studies have found that when investigators have financial relationships with pharmaceutical or product manufacturers, they are less likely to criticize the safety or efficacy of these agents. The effects of health economics research on pharmaceutical company revenue make drug investigations potentially vulnerable to this bias.

Objective To determine whether there is an association between pharmaceutical industry sponsorship and economic assessment of oncology drugs.

Design MEDLINE and HealthSTAR databases (1988-1998) were searched for original English-language research articles of cost or cost-effectiveness analyses of 6 oncology drugs in 3 new drug categories (hematopoietic colony-stimulating factors, serotonin antagonist antiemetics, and taxanes), yielding 44 eligible articles. Two investigators independently abstracted each article based on specific criteria.

Main Outcome Measure Relationships between funding source and (1) qualitative cost assessment (favorable, neutral, or unfavorable) and (2) qualitative conclusions that overstated quantitative results.

Results Pharmaceutical company-sponsored studies were less likely than nonprofit-sponsored studies to report unfavorable qualitative conclusions (1/20 [5%] vs 9/24 [38%]; $P = .04$), whereas overstatements of quantitative results were not significantly different in pharmaceutical company-sponsored (6/20 [30%]) vs nonprofit-sponsored (3/24 [13%]) studies ($P = .26$).

Conclusions Although we did not identify bias in individual studies, these findings indicate that pharmaceutical company sponsorship of economic analyses is associated with reduced likelihood of reporting unfavorable results.

JAMA. 1999;282:1453-1457

www.jama.com

areas in oncology: hematopoietic colony-stimulating factors, serotonin antagonist antiemetics, and taxanes. Economic studies of these agents have reported varying assessments of costs and cost-effectiveness.¹²⁻¹⁷ This study was designed to determine whether the apparent financially motivated bias seen in clinical efficacy and safety evaluations is also evident in economic analyses in oncology.

The major objective of this study was to determine whether there was an association between pharmaceutical industry sponsorship and economic assessments of breakthrough oncology drugs. The following questions were addressed: were pharmaceutical company-funded economic studies more likely than nonprofit-funded studies to re-

port favorable qualitative assessments and less likely to report unfavorable qualitative assessments? and were pharmaceutical company-sponsored studies more likely than nonprofit-funded studies to state qualitatively favorable

Author Affiliations: Institute for Health Services Research and Policy Studies (Dr Bennett) and Division of Hematology/Oncology, Northwestern University (Mr Friedberg and Drs Nelson and Bennett) and Lakeside Veterans Affairs Medical Center (Ms Stinson and Dr Bennett), Chicago, Ill; and the Department of Economics, Swarthmore College, Swarthmore, Pa (Dr Saffran).

Financial Disclosure: Dr Bennett has previously or concurrently received research grants from Amgen, Bristol-Myers Squibb, Glaxo Burroughs Wellcome, Immunex, Schering Plough, and SmithKline Beecham; and has served as a speaker's consultant for Amgen, Immunex, and Schering Plough, and received honoraria for this purpose. Ms Stinson has served as a consultant in the preparation of manuscripts for Bristol-Myers Squibb, Immunex, and Schering Plough.

Corresponding Author and Reprints: Charles L. Bennett, MD, PhD, Lakeside VAMC, 400 E Ontario Ave, Chicago, IL 60611 (e-mail: cbenne@nwu.edu).

conclusions despite neutral or unfavorable quantitative results?

METHODS

Economic analyses of 6 recently marketed breakthrough cancer drugs in 3 categories were chosen. The agents included hematopoietic growth factors (granulocyte colony-stimulating factor [G-CSF] and granulocyte-macrophage colony-stimulating factor [GM-CSF]), serotonin antagonist antiemetics (ondansetron hydrochloride and granisetron), and taxane chemotherapy agents (paclitaxel and docetaxel). These drugs were chosen because their cost-effectiveness is controversial, and they account for a large fraction of total pharmaceutical expenditures in many hospital pharmacies. Clinical reports have demonstrated efficacy in specific settings, but high acquisition and administration costs have raised concern about the widespread use of these agents.

We searched the MEDLINE (1988-1998) and HealthSTAR (1988-1998) databases to identify original research articles that contained an economic analysis of 1 or more of the study drugs. The following terms were searched: *cost(s)*, *cost-effective(ness)*, *economic(s)*, *dollar(s)*, *pharmacoeconomic(s)*, and *cost-benefit*. Drugs were searched under generic and brand names. Abstracts, letters, editorials, review articles, and non-English-language articles were excluded. Abstracts from the remaining articles were reviewed, and all articles including an actual analysis of costs were identified. This search yielded 54 articles, of which 8 were head-to-head comparisons between drugs in a given category (eg, G-CSF vs GM-CSF) and 46 were comparisons with placebo or standard treatment. Head-to-head comparisons were excluded because they could not be classified according to our criteria; ie, the results would always be either favorable or neutral for 1 or the other of the study drugs. Another 2 articles^{18,19} were excluded because we were unable to obtain information about the funding source, despite repeated requests. Of the 44 articles studied, there were 28 articles for hematopoietic colony-

stimulating factors,^{12,13,20-45} 11 articles for antiemetics,^{14,15,46-54} and 5 articles for taxanes.^{16,17,55-57} The types of analyses included were cost-minimization or cost-identification (a comparison of the costs of treatment for 2 different agents with similar efficacy or outcomes) and cost-effectiveness (comparison of the costs of treatment for 2 agents normalized by their effectiveness, typically reported as cost per life-year gained). All of the articles fit 1 of these types, based on generally accepted definitions.^{58,59}

Two investigators (M.F. and W.N.) independently abstracted information from each of the articles based on distinct, written, preset criteria. Information was collected on (1) the qualitative conclusion as stated in the abstract or manuscript conclusion, (2) the quantitative numerical results, (3) the timing of the study, and (4) the funding source.

Qualitative conclusions were rated according to the following criteria: favorable (the new drug "reduces costs" or is "cost-effective"), neutral (the new drug "is cost equivalent" or "may be cost-effective," or "does not require additional costs" over standard therapy), or unfavorable (the new drug has "higher costs" or is "not cost-effective"). Whenever the 2 investigators disagreed over an article's qualitative conclusion, a third investigator made the final decision.

Quantitative numerical results were also rated as favorable, neutral, or unfavorable. For cost-minimization studies, numerical results were classified as favorable when the costs of use of the new drug were less than standard treatment, neutral when there was no difference between the new drug and the standard, and unfavorable when the costs of use of the new drug were more than standard treatment. The total cost of treatment for each arm of the study was compared, including the cost of the study drug. When tests of statistical significance were available, significant differences were interpreted as favorable or unfavorable. Statistically insignificant differences were interpreted as neutral. For articles that did not include statistical analyses (typically, decision analyses), robust differences were interpreted as

favorable or unfavorable. Nonrobust differences (which reversed direction under sensitivity analyses) were interpreted as neutral. For cost-effectiveness studies, any cost estimate of less than \$50 000 per life-year gained was considered favorable, as is generally accepted in the literature.⁶⁰ More expensive results were considered unfavorable.

Study timing was interpreted as either prospective (the study was initiated alongside the clinical trial) or retrospective (the economic study was begun after the results of the clinical study were known).

Funding source was abstracted after recording a study's qualitative conclusion, quantitative results, and timing. Investigators were not specifically blinded as to funding source during abstraction. Articles were classified as either pharmaceutical company-sponsored or nonprofit-sponsored (government agency, professional organization, nonprofit foundation, or academic institution). For publications not including an acknowledgment of funding (17/46), first and last authors were contacted via mail, e-mail, and/or telephone and queried regarding the funding source of their study. Authors from 13 of 17 articles replied that their studies were either not externally funded or funded by nonprofit sources, while authors of 2 of 17 articles reported that their studies were funded by pharmaceutical companies. Authors of the remaining 2 articles^{18,19} did not reply, and their studies were not included in our analyses.

Relationships between funding source and (1) qualitative conclusion (favorable, neutral, or unfavorable), (2) overstatement of results (a favorable qualitative conclusion despite neutral or unfavorable quantitative results or a neutral qualitative conclusion despite unfavorable quantitative results), (3) study agent (hematopoietic growth factor, antiemetic, or taxane), (4) study timing (prospective or retrospective), (5) analysis type (cost minimization or cost-effectiveness), (6) journal type (peer-reviewed or non-peer-reviewed), and (7) author affiliations (all academic, or at least 1 pharmaceutical company or

consulting firm employee) were analyzed using Fisher exact tests (for 2×2 tables with an expected cell value less than 5) or Pearson χ^2 tests. A 2-sided *P* value (against the null hypothesis of no relationship between conclusion and funding source) less than .05 was considered significant.

RESULTS

Of the 44 articles, 20 were funded by pharmaceutical companies and 24 by nonprofit organizations. For those studies funded by pharmaceutical companies, the funding source was always the manufacturer of the investigational drug. Approximately 65% of studies analyzed hematopoietic growth factors, 25% antiemetics, and 10% taxanes (TABLE). This distribution was similar for both pharmaceutical- and nonprofit-sponsored studies. Study timing, analysis type, and journal type also did not differ significantly by funding source. All authors of nonprofit-sponsored studies had academic affiliations, whereas 40% of pharmaceutical company-sponsored studies had at least 1 author with a pharmaceutical company or consulting firm affiliation (divided evenly between pharmaceutical company and consulting firm employees).

There was a statistically significant relationship between funding source and qualitative conclusions ($P = .04$). Unfavorable conclusions were reached by 38% (9/24) of nonprofit-sponsored studies but by only 5% (1/20) of pharmaceutical company-sponsored studies (Table). Reports including only authors who had an academic affiliation appeared more likely to report unfavorable conclusions (28% [10/36]) than those including pharmaceutical or consulting firm employees (0% [0/8]), although this difference was not significant ($P = .18$). The 2 investigators agreed on the classification of qualitative conclusions in 87% of the articles, with the third investigator determining the classification of the remaining 13%.

In addition, pharmaceutical company-sponsored studies were somewhat more likely than nonprofit-sponsored studies to overstate quantitative re-

sults; ie, a favorable qualitative conclusion when quantitative results were neutral or unfavorable, or a neutral conclusion when quantitative results were unfavorable (30% [6/20] vs 13% [3/24]), although this finding was not statistically significant ($P = .26$).

COMMENT

This study investigated financial conflicts of interest in the debate over economic analyses of breakthrough oncology drugs. We found a significant association between authors' stated qualitative conclusions regarding the costs and cost-effectiveness of these drugs and study sponsorship by the drugs' manufacturers. Studies funded by pharmaceutical companies were nearly 8 times less likely to reach unfavorable qualitative conclusions than nonprofit-funded studies and 1.4 times more likely to reach favorable qualitative conclu-

sions. We also determined that 1 in 5 articles contained qualitative overstatements of quantitative results.

A number of hypotheses can help explain our findings. First, the retrospective methods used in 89% of our sample studies allow investigators and pharmaceutical companies "early looks" at clinical results and associated resource profiles. These early clinical data can be used to selectively identify the trials most likely to yield positive outcomes, and the pharmaceutical companies can fund economic studies accordingly and therefore, can potentially exercise a limited power to censor unfavorable studies simply by withholding financial support.

Second, there is an evident bias in the body of pharmacoeconomics research (also seen in other areas of medical research) toward the publication of studies with "positive" results. Regardless of funding source, studies with unfavor-

Table. Study Set Characteristics and Conclusions*

Characteristic	Study		<i>P</i> Value
	Pharmaceutical Company Sponsored (n = 20)	Nonprofit Sponsored (n = 24)	
Agent			
Hematopoietic growth factors	65	63	.97
Antiemetics	25	25	
Taxanes	10	13	
Study timing			
Prospective	5	17	.36
Retrospective	95	83	
Analysis type			
Cost minimization	75	58	.24
Cost-effectiveness	25	42	
Journal type			
Non-peer-reviewed	15	17	.99
Peer-reviewed	85	83	
General medical	0	8	
Oncology	40	25	
Hematology	15	17	
Supportive care	5	17	
Pharmacy	25	16	
Author affiliation			
All academic	60	100	<.002
≥ 1 Pharmaceutical or consulting firm employee	40	0	
Conclusion			
Favorable	60	42	.04
Neutral	35	21	
Unfavorable	5	38	
Overstatement of quantitative results	30	13	.26

*All data are presented as percentages unless otherwise indicated. Numbers may not sum to 100 due to rounding.

able preliminary evidence are less likely to be completed, less likely to be submitted for peer review, and, once submitted, less likely to be published.⁶¹

Third, pharmaceutical companies can influence research in a variety of ways. Studies may be funded through unrestricted research grants, educational funds, or consultancies (paid directly to investigators). These may include contractual agreements requiring pharmaceutical company review of manuscripts before being submitted for publication. Researchers also may receive funding from the same companies in the form of honoraria or travel awards for scientific meetings and have equity interests in companies and profit directly from increased drug sales.⁶² It is possible that these factors may result in some unconscious bias (perhaps when qualitatively interpreting results) that could influence study conclusions.

Fourth, the pharmaceutical companies can collaborate directly with investigators in devising protocols for economic analyses and indirectly shape the economic evaluation criteria.

Our study has several limitations. First, we considered only 1 type of economic relationship between pharmaceutical companies and researchers: direct funding of the analysis reported. Second, our ability to investigate direct financial sponsorship of the individual studies was limited because we were unable to review contracts or grants. While we used published information and direct communication with authors, the nature and degree of the financial relationship were not investigated.

The correlation between pharmaceutical company funding and favorable study conclusions might add to public uncertainty regarding company-sponsored medical research.^{63,64} Although other sources of funds for pharmacoeconomic studies are needed, limiting the publication of pharmaceutical company-sponsored studies is probably not feasible or practical. Pharmaceutical companies provide valuable resources to many areas of academic

medicine and are a primary source of funding for pharmacoeconomic studies.^{7,58} To improve the credibility of economic analyses, policies promoting full disclosure of all financial interests should be pursued. Conducting more prospective pharmacoeconomic analyses (in conjunction with phase 3 trials) would also increase credibility by eliminating the opportunity for selective funding based on clinical results.⁶⁵ Finally, pharmacoeconomic literature would be more balanced if managed care organizations, government agencies, and nonprofit groups increased their support for high-quality prospective pharmacoeconomic studies.

Funding/Support: The data collection efforts for this study were funded by an unrestricted grant from Amgen Inc, Thousand Oaks, Calif, as part of a larger, ongoing study. The sponsor had a contractual right to review and comment on manuscripts and abstracts prior to submission.

REFERENCES

- Smith R. Beyond conflict of interest: transparency is the key. *BMJ*. 1998;317:291-292.
- Krimsky S, Rothenberg LS. Financial interest and its disclosure in scientific publications. *JAMA*. 1998;280:225-226.
- Sorell T. Should industry sponsor research? tobacco company sponsorship discredits medical but not all research. *BMJ*. 1998;317:334.
- Edwards G. Should industry sponsor research? if the drinks industry does not clean up its act, pariah status is inevitable. *BMJ*. 1998;317:336.
- Rundall P. How much research in infant feeding comes from unethical marketing? *BMJ*. 1998;317:338-339.
- Gulati SC, Bitran JD. Cost-effectiveness analysis: sleeping with an enemy or a friend? *J Clin Oncol*. 1995;13:2152-2154.
- Stelfox HT, Chua G, O'Rourke K, Detsky A. Conflict of interest in the debate over calcium-channel antagonists. *N Engl J Med*. 1998;338:101-106.
- Rochon PA, Gurwitz JH, Simms RW, et al. A study of manufacturer-supported trials of nonsteroidal anti-inflammatory drugs in the treatment of arthritis. *Arch Intern Med*. 1994;154:157-163.
- Barnes DE, Bero LA. Why review articles on the health effects of passive smoking reach different conclusions. *JAMA*. 1998;279:1566-1570.
- Davidson RA. Source of funding and outcome of clinical trials. *J Gen Intern Med*. 1986;1:155-158.
- Azimi NA, Welch G. The effectiveness of cost-effectiveness analysis in containing costs. *J Gen Intern Med*. 1998;13:664-669.
- Bernini JC, Wooley R, Buchanan GR. Low-dose recombinant human granulocyte colony-stimulating factor therapy in children with symptomatic chronic idiopathic neutropenia. *J Pediatr*. 1996;129:551-558.
- Chouaid C, Bassinet L, Fuhrman C, Monnet I, Housset B. Routine use of granulocyte colony-stimulating factor is not cost-effective and does not increase patient comfort in the treatment of small-cell lung cancer: an analysis using a Markov model. *J Clin Oncol*. 1998;16:2700-2707.
- Ballatori E, Roila F, Berto P, et al. Cost and cost-effectiveness analysis of ondansetron versus metoclopramide regimens: a hospital perspective from Italy. *Pharmacoeconomics*. 1994;5:227-237.
- Watcha MF, Smith I. Cost-effectiveness analysis of antiemetic therapy for ambulatory surgery. *J Clin Anesth*. 1994;6:370-377.
- Covens A, Boucher S, Roche K, et al. Is paclitaxel and cisplatin a cost-effective first-line therapy for advanced ovarian carcinoma? *Cancer*. 1996;77:2086-2091.
- Elit LM, Gafni A, Levine MN. Economic and policy implications of adopting paclitaxel as first-line therapy for advanced ovarian cancer: an Ontario perspective. *J Clin Oncol*. 1997;15:632-639.
- Teoh GK, Tan PH, Goh YT. Granulocyte colony stimulating factor significantly influences neutrophil recovery and duration of hospitalisation in bone marrow transplantation. *Ann Acad Med Singapore*. 1994;23:823-827.
- Dunlop DJ, Fitzsimons EJ, McMurray A, et al. Filgrastim fails to improve haemopoietic reconstitution following myeloablative chemotherapy and peripheral blood stem cell rescue. *Br J Cancer*. 1994;70:943-945.
- Brice P, Godin S, Libert O, et al. Effect of lenograstim on the cost of autologous bone marrow transplantation: a preliminary communication. *Pharmacoeconomics*. 1995;7:238-241.
- Chao NJ, Schriber JR, Grimes K, et al. Granulocyte colony-stimulating factor "mobilized" peripheral blood progenitor cells accelerate granulocyte and platelet recovery after high-dose chemotherapy. *Blood*. 1993;81:2031-2035.
- Clark RE, Shlebak AA, Creagh MD. Delayed commencement of granulocyte colony-stimulating factor following autologous bone marrow transplantation accelerates neutrophil recovery and is cost-effective. *Leuk Lymph*. 1994;16:141-146.
- Dranitsaris G, Sutcliffe SB. Economic analysis of prophylactic G-CSF after mini-BEAM salvage chemotherapy for Hodgkin's and non-Hodgkin's lymphoma. *Leuk Lymph*. 1995;17:139-145.
- Faucher C, le Corroller AG, Blaise D, et al. Comparison of G-CSF-primed peripheral blood progenitor cells and bone marrow auto transplantation: clinical assessment and cost-effectiveness. *Bone Marrow Transplant*. 1994;14:895-901.
- Glaspay JA, Bleecker G, Crawford J, Stoller R, Strauss M. The impact of therapy with filgrastim (recombinant granulocyte colony-stimulating factor) on the health care costs associated with cancer chemotherapy. *Eur J Cancer*. 1993;29A(suppl 7):S23-S30.
- Lyman GH, Balducci L. A cost analysis of hematopoietic colony-stimulating factors. *Oncology*. 1995;9(suppl):85-91. [Erratum: *J Natl Cancer Inst*. 1995;85:488-493].
- Mapelli V, Graf vond der Schulenburg JM, Laaser U, Allhoff PG, Rossi F. Economic evaluation of lenograstim (glycosylated rhug-csf) in the treatment of inflammatory breast cancer for Germany and Italy. *Pharmacoeconomics*. 1994;6(suppl 2):27-35.
- McQuaker IG, Hunter AE, Pacey S, Iqbal A, Russell NH. Low-dose filgrastim significantly enhances neutrophil recovery following autologous peripheral-blood stem-cell transplantation in patients with lymphoproliferative disorders: evidence for clinical and economic benefit. *J Clin Oncol*. 1997;15:451-457.
- Mitchell PL, Morland B, Stevens MC, et al. Granulocyte colony-stimulating factor in established febrile neutropenia: a randomized study of pediatric patients. *J Clin Oncol*. 1997;15:1163-1170.
- Riikonen P, Rahiala J, Slonvaara M, Perkkio M. Prophylactic administration of granulocyte colony-stimulating factor (filgrastim) after conventional chemotherapy in children with cancer. *Stem Cells*. 1995;13:289-294.
- Souetre E, Qing W, Penelaud PF. Economic analysis of the use of recombinant human granulocyte colony stimulating factor in autologous bone marrow

- transplantation. *Eur J Cancer*. 1996;32A(suppl):1162-1165.
32. Uyl-de Groot CA, Richel DJ, Rutten FF. Peripheral blood progenitor cell transplantation mobilised by r-metHuG-CSF (filgrastim): a less costly alternative to autologous bone marrow transplantation. *Eur J Cancer*. 1994;30A(suppl):1631-1635.
 33. Zagonel V, Babare R, Merola MC, et al. Cost-benefit of granulocyte colony-stimulating factor administration in older patients with non-Hodgkin's lymphoma treated with combination chemotherapy. *Ann Oncol*. 1994;5(suppl 2):S127-S132.
 34. Dranitsaris G, Altmayer C, Quirt I. Cost-benefit analysis of prophylactic granulocyte colony-stimulating factor during CHOP antineoplastic therapy for Non-Hodgkin's lymphoma. *Pharmacoeconomics*. 1997;11:566-577.
 35. Drummond M, Davies L. Economic evaluation of lenograstim for prophylaxis of chemotherapy-induced neutropenia in patients with small cell lung cancer. *Pharmacoeconomics*. 1994;6:44-52.
 36. Duncan N, Hewetson M, Atra A, Dick G, Pinkerton R. An economic evaluation of the use of granulocyte colony-stimulating factor after bone marrow transplantation in children. *Pharmacoeconomics*. 1997;11:169-174.
 37. Messori A, Trippoli S, Tendi E. G-CSF for the prophylaxis of neutropenic fever in patients with small cell lung cancer receiving myelosuppressive antineoplastic chemotherapy: meta-analysis and pharmacoeconomic evaluation. *J Clin Pharm Ther*. 1996;21:57-63.
 38. Nichols CR, Fox EP, Roth BJ, Williams SD, Loehrer PJ, Einhorn LH. Incidence of neutropenic fever in patients treated with standard-dose combination chemotherapy for small-cell lung cancer and the cost impact of treatment with granulocyte colony-stimulating factor. *J Clin Oncol*. 1994;12:1245-1250.
 39. Peroutka JA, Mutnick AH. Use of decision analysis to evaluate the costs and benefits of filgrastim (G-CSF) therapy. *Formulary*. 1995;30:394-404.
 40. Pui CH, Boyett JM, Hughes WT, et al. Human granulocyte colony-stimulating factor after induction chemotherapy in children with acute lymphoblastic leukemia. *N Engl J Med*. 1997;336:1781-1787.
 41. Bennett CL, Golub R, Waters TM, Tallman MS, Rowe JM. Economic analyses of phase III cooperative trials: are they feasible? *Cancer Invest*. 1997;15:227-236.
 42. Gulati SC, Bennett CL. Granulocyte-macrophage colony-stimulating factor (GM-CSF) as adjunct therapy in relapsed Hodgkin disease. *Ann Intern Med*. 1992;116:177-182. [Erratum: *Anticancer Drugs*. 1993;4:13-16; *Stem Cells*. 1993;11:20-25.]
 43. Luce BR, Singer JW, Weschler JM, et al. Recombinant human granulocyte-macrophage colony-stimulating factor after autologous bone marrow transplantation for lymphoid cancer: an economic analysis of a randomised, double-blind, placebo-controlled trial. *Pharmacoeconomics*. 1994;6:42-48.
 44. Bennett CL, George SL, Vose JL, et al. Granulocyte-macrophage colony-stimulating factor as adjunct therapy in relapsed lymphoid malignancy: implications for economic analyses of phase III clinical trials. *Stem Cells*. 1995;13:414-420.
 45. Vellenga E, Uyl-de Groot CA, de Wit R, et al. Randomized placebo-controlled trial of gm-csf in patients with chemotherapy-related febrile neutropenia. *J Clin Oncol*. 1996;14:619-627.
 46. Buxton MJ, O'Brien BJ. Economic evaluation of ondansetron: preliminary analysis using clinical trial data prior to price setting. *Br J Cancer Suppl*. 1992;66:S64-S67.
 47. Splinter WM, Rhine EJ, Roberts DJ. Vomiting after strabismus surgery in children: ondansetron vs propofol. *Can J Anaesth*. 1997;44:825-829.
 48. Tanneberger S, Lelli G, Martoni A, Piana E, Panuti F. The antiemetic efficacy and the cost-benefit ratio of ondansetron calculated with a new approach to health technology assessment (real cost-benefit index). *J Chemother*. 1992;4:326-331.
 49. Bleiberg H, Autier P, Michaux D. Cost-effectiveness analysis of antiemetic treatment. *Support Care Cancer*. 1994;2:145-149.
 50. Cunningham D, Gore M, Davidson N, Miocevic M, Manchanda M, Wells N. The real costs of emesis—an economic analysis of ondansetron vs. metoclopramide in controlling emesis in patients receiving chemotherapy for cancer. *Eur J Cancer*. 1993;29A(suppl):303-309.
 51. Johnson NE, Nash DB, Carpenter CE, Sistek CJ. Ondansetron: costs and resource utilisation in a US teaching hospital setting. *Pharmacoeconomics*. 1993;3:471-481.
 52. Tang J, Watcha MF, White PF. A comparison of costs and efficacy of ondansetron and droperidol as prophylactic antiemetic therapy for elective outpatient gynecologic procedures. *Anesth Analg*. 1996;83:304-313.
 53. Zbrozek AS, Cantor SB, Cardenas MP, Hill DP. Pharmacoeconomic analysis of ondansetron versus metoclopramide for cisplatin-induced nausea and vomiting. *Am J Hosp Pharm*. 1994;51:1555-1563.
 54. Cieslak GD, Watcha MF, Phillips MB, Pennant JH. The dose-response relation and cost-effectiveness of granisetron for the prophylaxis of pediatric postoperative emesis. *Anesthesiology*. 1996;85:1076-1085.
 55. McGuire W, Neugut AI, Arikian S, Doyle J, Kezici CM. Analysis of the cost-effectiveness of paclitaxel as alternative combination therapy for advanced ovarian cancer. *J Clin Oncol*. 1997;15:640-645.
 56. Messori A, Trippoli S, Becagli P, Tendi E. Pharmacoeconomic profile of paclitaxel as a first-line treatment for patients with advanced ovarian carcinoma: a lifetime cost-effectiveness analysis. *Cancer*. 1996;78:2366-2373.
 57. Ortega A, Dranitsaris G, Sturgeon J, Sutherland H, Oza A. Cost-utility analysis of paclitaxel in combination with cisplatin for patients with advanced ovarian cancer. *Gynecol Oncol*. 1997;66:454-463.
 58. Task Force on Principles for Economic Analysis of Health Care Technology. Economic analysis of health care technology: a report on principles. *Ann Intern Med*. 1995;123:61-70.
 59. Jefferson T, Smith R, Yee Y, Drummond M, Pratt M, Gale R. Evaluating the *BMJ* guidelines for economic submissions: prospective audit of economic submissions to *BMJ* and *The Lancet*. *JAMA*. 1998;280:275-277.
 60. Smith TJ, Hillner BE, Desch CE. Efficacy and cost-effectiveness of cancer treatment: rational allocation of resources based on decision analysis. *J Natl Cancer Inst*. 1993;85:1460-1474.
 61. Callahan M, Wears R, Weber E, Barton C, Young G. Positive outcome bias and other limitations in the outcome of research abstracts submitted to a scientific meeting. *JAMA*. 1998;280:254-257.
 62. Elks ML. Ethics: conflict of interest and the physician-researcher. *J Lab Clin Med*. 1995;126:19-23.
 63. Eichenwald K, Kolata G. Drug trials hide conflicts for doctors. *New York Times*. May 16, 1999;sect 1:1.
 64. Eichenwald K, Kolata G. A doctor's drug studies turn into fraud. *New York Times*. May 17, 1999;sect O:A1.
 65. Bennett CL, Smith TJ, George SL, Hillner BE, Fleishman S, Niell HB. Problems funding economic analyses of phase III clinical trials: free-riding and the prisoner's dilemma. *J Clin Oncol*. 1995;13:2457-2463.