



Obsessive-Compulsive Disorder

Sharon Parmet; Tiffany J. Glass; Richard M. Glass

JAMA. 2004;292(16):2040 (doi:10.1001/jama.292.16.2040)

Online article and related content
current as of November 23, 2009.

<http://jama.ama-assn.org/cgi/content/full/292/16/2040>

Supplementary material

Spanish PDF

<http://jama.ama-assn.org/cgi/content/full/292/16/2040/DC1>

Correction

[Contact me if this article is corrected.](#)

Citations

[Contact me when this article is cited.](#)

Topic collections

Psychiatry; Obsessive-Compulsive Disorder; JAMA Patient Page

[Contact me when new articles are published in these topic areas.](#)

Related Articles published in
the same issue

Cognitive-Behavior Therapy, Sertraline, and Their Combination for
Children and Adolescents With Obsessive-Compulsive Disorder: The
Pediatric OCD Treatment Study (POTS) Randomized Controlled Trial
[The Pediatric OCD Treatment Study \(POTS\) Team. *JAMA*. 2004;292\(16\):1969.](#)

Subscribe

<http://jama.com/subscribe>

Email Alerts

<http://jamaarchives.com/alerts>

Permissions

permissions@ama-assn.org

<http://pubs.ama-assn.org/misc/permissions.dtl>

Reprints/E-prints

reprints@ama-assn.org

Obsessive-Compulsive Disorder

Obsessive-compulsive disorder (OCD) is an anxiety disorder that usually begins in adolescence or early adulthood, but may begin in childhood. When OCD starts in childhood, it is more common in boys than in girls. The usual time of onset is later for females than males, so the disorder is equally common among adult men and women. Without treatment, OCD usually follows a chronic course, and some persons become severely disabled by it. The October 27, 2004, issue of *JAMA* includes an article about treating OCD in children and adolescents.

Obsessive-compulsive disorder is characterized by the presence of obsessions or compulsions or (as is often the case) both of them. The obsessions or compulsions cause marked distress, are time-consuming, and interfere with the person's normal functioning.

Obsessions—unwanted, recurrent thoughts, impulses, or images that are experienced as intrusive and inappropriate

- The obsessions of OCD are not just worries about real-life problems.
- The person realizes that the obsessive thoughts are from his or her own mind.
- The person attempts to suppress or neutralize the obsessions with actions or other thoughts.
- Examples of typical obsessions include thoughts of being contaminated by dirt or germs or thoughts of having hurt someone, even though recognizing that such concerns are not realistic.

Compulsions—repetitive behaviors or “rituals” that the person feels driven to perform in a particular way

- The compulsive actions are done to reduce distress or to prevent something bad from happening, even though there is no realistic connection with preventing such an occurrence.
- Typical compulsions include excessive cleaning (such as hand washing), repetitive checking, and hoarding of useless items.
- Mental acts such as praying, counting, or repeating words silently can be compulsions for some persons.

CAUSES OF OCD

- The exact cause of OCD is not known.
- There is evidence that OCD can run in families and may have a **genetic** (inherited) component.
- An imbalance of **serotonin**, a chemical messenger in the brain, may be involved.

TREATMENTS FOR OCD

- **Selective serotonin reuptake inhibitors (SSRIs)** are medications that have been shown to successfully reduce the symptoms of OCD and that are also used as antidepressants.
- **Cognitive behavioral therapy (CBT)** for OCD involves helping patients to change their ideas or thought patterns related to obsessive thoughts and compulsions.
- **Exposure and response prevention** is a behavioral therapy that may be included as part of CBT. The patient is deliberately exposed to situations that tend to stimulate his or her compulsions (for example, getting his or her hands dirty). A trained therapist helps the patient to deal with the resulting anxiety while encouraging him or her not to engage in the compulsion (for example, excessive hand washing).

Sources: Anxiety Disorders Association of America, American Psychiatric Association, National Institute of Mental Health

Sharon Parmet, MS, Writer

Tiffany J. Glass, MA, Illustrator

Richard M. Glass, MD, Editor

The JAMA Patient Page is a public service of JAMA. The information and recommendations appearing on this page are appropriate in most instances, but they are not a substitute for medical diagnosis. For specific information concerning your personal medical condition, JAMA suggests that you consult your physician. This page may be photocopied noncommercially by physicians and other health care professionals to share with patients. Any other print or online reproduction is subject to AMA approval. To purchase bulk reprints, call 718/946-7424.

FOR MORE INFORMATION

- Anxiety Disorders Association of America
240/485-1001
www.adaa.org
- American Psychiatric Association
703/907-7300
www.psych.org
- National Institute of Mental Health
866/615-6464
www.nimh.nih.gov

INFORM YOURSELF

To find this and previous JAMA Patient Pages, go to the Patient Page link on JAMA's Web site at www.jama.com. A Patient Page on obsessive-compulsive disorder was published in the November 25, 1998, issue.

