



Pleural Effusion

Carolyn J. Hildreth; Cassio Lynm; Richard M. Glass

Online article and related content
current as of November 8, 2009.

JAMA. 2009;301(3):344 (doi:10.1001/jama.301.3.344)

<http://jama.ama-assn.org/cgi/content/full/301/3/344>

Supplementary material

Spanish PDF

<http://jama.ama-assn.org/cgi/content/full/301/3/344/DC1>

Correction

[Contact me if this article is corrected.](#)

Citations

[Contact me when this article is cited.](#)

Topic collections

Pulmonary Diseases; Pulmonary Diseases, Other; JAMA Patient Page

[Contact me when new articles are published in these topic areas.](#)

Related Articles published in
the same issue

Does This Patient Have a Pleural Effusion?

[Camilla L. Wong et al. *JAMA*. 2009;301\(3\):309.](#)

Subscribe

<http://jama.com/subscribe>

Email Alerts

<http://jamaarchives.com/alerts>

Permissions

permissions@ama-assn.org

<http://pubs.ama-assn.org/misc/permissions.dtl>

Reprints/E-prints

reprints@ama-assn.org

Pleural Effusion

When an abnormal amount of fluid accumulates in the space between the 2 layers of the **pleura** (the membrane that lines the surface of the lungs), it is called a **pleural effusion**. It is estimated that 1 million people in the United States develop a pleural effusion each year. About 20% to 60% of the people who develop pneumonia have a pleural effusion. A pleural effusion can also occur due to an **extrapulmonary** (outside the lungs) cause. Treatment depends on the underlying cause. The January 21, 2009, issue of JAMA includes an article about diagnosing pleural effusions.

CAUSES OF PLEURAL EFFUSIONS

- **Congestive heart failure** (ineffective pumping of blood through the circulatory system due to enlargement and weakening of the heart muscle) is the most common cause of pleural effusion.
- **Pneumonia** is a common lung infection and may result in pleural effusion.
- Pulmonary **emboli** (a blood clot that breaks off and travels through the bloodstream where it becomes stuck and blocks the circulation)
- **Malignancy** (cancer) of the lungs can result in pleural effusions. **Metastasis** (cancer that has spread from one organ or body part to another) to the lung can also cause pleural effusions.
- **Cirrhosis** (liver disease with loss of function and scarring of the tissue within the liver) commonly causes **ascites** (fluid collection in the abdomen) and may cause a pleural effusion.

DIAGNOSING PLEURAL EFFUSIONS

- Physical examination of the lungs includes using visual inspection to look for asymmetry of chest wall expansion with breathing, **auscultatory** (listening) and **tactile** (feeling) assessment of air flow, and **percussion** (gentle tapping with the fingertips) to detect differences in sound transmission from the lungs through the chest wall.
- X-ray examination of the chest with the patient in an upright position and in a **lateral decubitus** (lying down) position on the side where the effusion is located to get a visual estimate of the amount of fluid present
- **Ultrasound** can detect small pleural effusions by measuring the difference in the sound waves as they travel through the air in the lungs compared with the fluid created by an effusion.
- **CT scan** is a radiographic procedure that can be used to image the lungs and detect the presence of pleural effusions around them.
- **Thoracentesis** uses a thin needle inserted into the chest cavity to withdraw a sample of the fluid for laboratory analysis.

TREATMENT

- Treating bacterial pneumonia with antibiotics usually resolves pleural effusion.
- Treating congestive heart failure with **diuretics** (medication that removes excess fluid from the circulation) and other medications to support the heart muscle helps to resolve an associated pleural effusion.
- When the pleural effusion is large, thoracentesis may be used to remove some of the fluid for symptom relief while the underlying cause is being treated.

Source: American Lung Association


Carolyn J. Hildreth, MD, Writer

Cassio Lynn, MA, Illustrator

Richard M. Glass, MD, Editor

The JAMA Patient Page is a public service of JAMA. The information and recommendations appearing on this page are appropriate in most instances, but they are not a substitute for medical diagnosis. For specific information concerning your personal medical condition, JAMA suggests that you consult your physician. This page may be photocopied noncommercially by physicians and other health care professionals to share with patients. To purchase bulk reprints, call 312/464-0776.

Individual with pleural effusion



SYMPTOMS

- **Dyspnea** (shortness of breath)
- Cough
- Chest pain

FOR MORE INFORMATION

- American Lung Association
www.lungusa.org
- National Heart, Lung, and Blood Institute
www.nhlbi.nih.gov

INFORM YOURSELF

To find this and other JAMA Patient Pages, go to the Patient Page link on JAMA's Web site at www.jama.com. Many are available in English and Spanish. A Patient Page on lung cancer was published in the March 7, 2007, issue, one on pulmonary embolism in the December 3, 2003, issue, and one on heart failure in the June 13, 2007, issue.

